

Table of Contents

DISTURBANCE ANTONYM

BLOOD ANTONYM

ENDOCRINE ANTONYM

musculoskeletal antonyms

NERVOUS SYSTEM ANTONYMS

SENSE ORGANS

DRUGS

medical management antonym

git diseases

heart disorders

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

4

5

6

7

8

9

10

10

11

11

- Right **heart** x left **heart**
- Right atrium.x left atrium
- Right ventricle x left ventricle
- Inspiration x expiration
- **Fire** extinguisher (carbon dioxide) x **fire** producer(oxygen)
- Right **eye** x left **eye**
- Right **ear** x left **ear**
- Right half of **nose** x left half of **nose**
- Right **lung** x left **lung**
- Ascending colon x descending colon
- Right **brain** x left **brain**
- RIGHT HAND X LEFT HAND
- right **radius** x left **radius**
- Right **leg** x left **leg**
- Right hemisphere x left hemisphere
- Front **face** x back **face**
- Left **face** x right **face**
- Upward facing x downward facing
- Clockwise rotation x anticlock wise rotation
- Vertical axis x horizontal axis
- Vertical vertebra x horizontal diaphragm
- Vertical spinal cord x horizontal spinal nerves
- Vertical corticospinal tracts x horizontal corpus callosum or association fibres
- Central x peripheral
- Parallel planes x perpendicular planes
- Cranial x caudal
- Cranial **mouth** x caudal anus
- Dominant x recessive
- Mongenic x polygenic
- Gene locus x translocation of gene
- Normal location x transposition
- Copying or.cheating x self writing or sincere
- Writing x erasing
- Coding x decoding
- Translation x transliteration
- Dividing x combining or forming
- Separation x mixing
- Cutting x joining
- Separation of dna strands x mixing of dna strands
- sensitive x specific
- Antibiotic sensitivity x antibiotic resistance
- Suscaltibility of bacteria to antibiotics x resistance of bacteria to antibiotics
- True positive x true negative (with disease)
- True x false (lie)
- Correction x error
- respond to many x respond to only one
- responsive x non responsive
- looking back X Looking forward
- looking back from effect to cause X Looking forward from cause to effect
- retrospective study X prospective study
- blind trials X Visible proof or proven

- morbidity x health
- morbidity indicator x health indicator or qualities of **life**
- mortality x **life**
- men x women
- young x old
- cause x effect
- exposure x outcome
- risk x disease
- unknown x known
- invisible case (subclinical case) x visible case (clinical case)
- large x small
- population (large **group** of people) X smaller **group** of people(focus)
- normal **person** x abnormal **person**
- normal **person** or healthy **person** X abnormal **person** (ill or diseased **person**) or case

DISTURBANCE ANTONYM

DECREASE(GOING AWAY) OR LEFT X RIGHT (GOING RIGHT IN FORWARD DIRECTION) LOSSES X GAINERS

- FLUID PHYSIOLOGY
- colloid osmotic pressure or oncotic pressure X Hydrostatic pressure (pressure of blood against wall - static fluid pressure)
- Inside X outside
- Inside fluid (intracellular fluid) X extracellular fluid (Outside fluid)
- Dilute(inside) X Concentrated (outside)
- concentrated(inside) X Dilute(outside)
- low concentration of electrolytes X HIGH concentration of electrolytes
- POTENTIAL
- **water** potential (potential energy of **water**) X kinetic energy of **water**
- Charge potential of **cell**(membrane potential inside **cell**) X membrane potential outside **cell**(charge potential of outside fluid)
- resting membrane potential X Dynamic changes in potential
- hypertonic solution X hypotonic solution (both terms are unequal but it is differentiated on the basis of movement of **water** from cells)
- **Cell** shrink X **Cell** swelling
- Soluble X Insoluble
- hydrophilic(**water** loving) X hydrophobic(**water** hating or fearing)
- lipophilic X Lipophobic
- hemophilic x hemophobic
- chromophobe cells include basophils and eosinophils
- BASOPHILIC X ACIDOPHILIC
- BASE LOVER X ACID LOVER
- NEUTROPHIL = NEUTRAL LOVER (both granules present)
- AZUROPHILIC X AZUROPHOBIC
- EOSINOPHILIC X EOSINOPHOBIA
- BASOPHILIC X BASOPHOBES
- mixing X separation
- combining X breaking
- combine X Break

- ionic X Non - ionic
- acid X Base
- hydrostatic pressure (pressure of static **water**) X pressure gradient (pressure which drives **water** flow)
- inward flow X Outward flow (inward flow of **water** across semipermeable membrane X Outward flow of **water** across semipermeable membrane)
- permeable X impermeable (SEMI-PERMEABLE == **cell** membrane is semipermeable that is it is permeable and impermeable both)
- addition of solutes lowers **water** potential(NEGATIVE VECTOR) X Increase in pressure increases **water** potential (POSITIVE VECTOR)
- Flow is always from pure **water** (**water** with less or no solutes) to impure **water** (**Water** with higher concentration of solutes)
- sea **water** has always higher concentration of salt(sodium) so from higher gradient to lower (solute movement from sea **water** to lakes(fresh **water**))
- equal X Unequal
- barrier X Assistance or helpers
- restriction X Entrance or **passage**
- change in concentration over a distance is called concentration gradient X
- change in pressure over a distance is called pressure gradient x
- tonicity (it is the relative concentration of solutes on either side of the membrane)
- osmolarity
- **water** is always more extracellular because the content of **water** is more outside than on inside of **cell**,but the main aim is not to control **water** potential or gradient but to maintain the ionic composition and volume of **water** constant.
- colloid (proteins - albumin,gelatin and **water** insoluble compounds)
- crystals(mineral ions,and **water** soluble compounds)
- crystalloid osmotic pressure distinguishes because of the presence of large pores in capillaries which tend to equalize solute concentrations on either side of membrane.
- hypovolemia X increased blood volume
- hyponatremia X hypernatremia
- hypokalemia X hyperkalemia
- hypocalcemia X hypercalcemia
- bone mineralization(formation) x bone resorption(release of minerals from bone)
- Hypoxia x hyperoxia
- Hypocarbica x hypercarbica
- Acidosis x alkalosis
- Hypotension x hypertension
- GAS PHYSIOLOGY
- Partial pressure(pressure of individual gas) X Pressure (pressure by whole mixture of gases)
- Hyperventilation x hypoventilation
- DE - POLARIZATION
- RE - POLARIZATION
- POLARIZATION - POLARITY X NON-POLAR OR NO POLARITY
- polarity arises due to the solubility of molecules in a solution.insoluble compounds are non -polar

BLOOD ANTONYM

- Exotoxin x endotoxin
- Outside x inside
- Heat labile x heat stable

- Dna ligase x deoxyribo nuclease
- Hemolysis x heme synthesis
- Single celled organism x multiple celled organism
- Immune system
- Artificial immunity x natural immunity
- Active immunity x passive immunity
- Acquired immunity x innate or immunity since birth
- Autoimmunity or immunity against oneself x immunity against bacteria or microbes
- Cell production x cell killing
- Cell recognition x cell forget
- Insecure or risk to cell or harmful.x safety or security or
- Polycythemia x pancytopenia
- Leucopenia x leucocytosis
- Leucopenia x leucocytosis(seen in tumours of immune cells)
- Immunodeficiency x increased immune cells
- Intolerance x tolerance
- Immune intolerance x
- Anemia x increased rbc count
- Immunocompetent x immunocompromised
- Blast is s producer x clast is a breaker
- Osteoblast(bone substance producer) x osteoclast (bone substance breaker)
- Fibroblast x fibrocytes
- Chondroblast x chondrocytes
- Erythroblast x
- Megaloblast x
- Myeloblast x
- Lymphoblast x
- Trophoblast x trophic cells
- Unipotent(single potency) x pluripotent(plural potency) or multipotent(multiple potency)
- Dense connective tissue x loose connective tissue
- Stratified epithelium x non stratified or single layer
- Short or cuboid or flat x tall or columnar or pseudostratified epithelium
- Keratinized x non- keratinized
- Dry or scaly epithelium x wet epithelium
- Elastic x plastic

ENDOCRINE ANTONYM

- hypoglycemia X Increased glucose
- decreased insulin X increased insulin
- hypoglycemia X diabetes mellitus
- hypothyroidism X hyperthyroidism
- hypothyroidism X grave's disease(hyperthyroidism)
- decreased thyroid gland X increased thyroid gland(thyromegaly)
- thyromegaly(iodine deficiency or less TSH) X thyromegaly(hyperthyroidism OR More TSH)
- hypoparathyroidism X hyperparathyroidism
- addison's disease(hypocortisolism) X cushing's disease(hypercortisolism)
- hypocortisolism X hypercortisolism
- adrenal insufficiency or hypoaldosteronism X primary hyperaldosteronism or Conn's syndrome
- degeneration (decreased gland secreting cells) X adenoma(increased gland secreting cells)

- atrophy of adrenal **gland** X congenital adrenal hyperplasia
- rickets(children) or osteomalacia(adults) X BONE TUMOUR(new piece of bone)
- atrophy X Hyperplasia
- atrophy X hypertrophy
- **water** retention x **water** excretion or diuresis
- anti-diuresis x diuresis
- Increased frequency of urine x decreased frequency of urine
- Polyria x anuria
- Increased glomerular filtration rate x decreased glomerular filtration rate
- Increased reabsorption x decreased reabsorption
- Counter current flow x flow towards
- Flowing in opposite direction x flowing in parallel or same direction
- Antiparallel direction x parallel direction
- hypoandrogenism(low testosterone) X hyperandrogenism(high testosterone)
- hypoestrogenism x hyperestrogenism(high estrogen levels)
- Hypogonadism X hypergonadism(hyperfunction of gonads)
- gonadotropin deficiency x gonadotropin excess

musculoskeletal antonyms

- kyphosis X lordosis
- valgus(outward angulation) x Varus (medial deviation)
- **Foot**: pes valgus (from Latin pes = **foot**) — a medial deviation of the **foot** at subtalar joint.
- **Hand**: manus valgus (from Latin manus = **hand**)
- Wrist: Madelung's deformity — Wherein the wrist bones are not formed properly due to a genetic disorder.
- Hip: coxa valga (from Latin coxa = hip) — the shaft of the **femur** is bent outward in respect to the neck of the **femur**. Coxa valga >125 degrees. Coxa vara <125 degrees.
- Hip: coxa vara — the angle between the head and the shaft of the **femur** is reduced, resulting in a limp.
- **Knee**: genu valgum (from Latin genu = **knee**) — the **tibia** is turned outward in relation to the **femur**, resulting in a knock-kneed appearance.
- **Knee**: genu varum (from Latin genu = **knee**) — the **tibia** is turned inward in relation to the **femur**, resulting in a bowlegged deformity.
- Ankle: talipes valgus (from Latin talus = ankle and pes = **foot**) — outward turning of the heel, resulting in a 'flat **foot**' presentation.
- Ankle: talipes equinovarus (from Latin talus = ankle and pes = **foot**) — inward turning of the heel, resulting in clubfoot with the **person** walking on the outer part of the **foot**.
- Toe: hallux valgus (from Latin hallux = big toe) — outward deviation of the big toe toward the second toe. Resulting in a bunion.
- Toe: hallux varus (Latin hallux = big toe) — inward deviation of the big toe away from the second toe.
- Elbows: cubitus varus (Latin cubitus = elbow) — turned inward elbows
- Elbows: cubitus valgus (from Latin cubitus = elbow) — turned-in elbows

ORTHOPEDICS - MUSCLES

- abduction (abductor) X adduction (adductor)
- flexion(flexors of forearm) X extension (extensor of forearm)
- pronation(pronator) x supination(supinator)

- **elevation** of scapula(**muscle** mover) X lowering of scapula(paralysis)
- dropped shoulder(Trapezius paralysis) X shrugging of shoulder (trapezius)
- gastroparesis(gastro + paresis=paralysis) X gastric emptying or peristalsis of **stomach**
- **lock** jaw x mastication
- wrist drop X Wrist extension
- **foot** drop X **Foot** extension
- ptosis or horner's syndrome X **Elevation** of
- thumb movement (abduction and opposition) X ape **hand** deformity
- partial claw X
- Klumpke's paralysis presents with claw **hand** (C8,T1 lesion)
- erb's duchene palsy presents with waiter's tip (C5,C6) lesion
- bell's palsy »» facial **nerve** palsy »»> lacunar infarct or stroke X facial **nerve** functions (facial muscles movement)

NERVOUS SYSTEM ANTONYMS

- ABILITY X DISABILITY
- intelligent X mentally retarded
- **depression** X anxiety
- phobia(fear) OR PANIC(RUNNING AWAY FROM) X courage OR MANIA(CRAZY) RUNNING TOWARDS IT
- Good mood x bad mood
- able to memorize x unable to memorize(dementia)
- able to remember (memory) x unable to remember (amnesia)
- able to control **body** movements x unable to control **body** movements (ataxia)
- able to speak x unable to speak DUMB
- speaking non-sense(aphasia) x speaking sense
- ability to articulate speech x inability to articulate speech(dysarthria or anarthria)
- able to sleep x unable to sleep (insomnia)
- able to hear x unable to hear (DEAF)
- able to write x unable to write (agraphia or dysgraphia — inability to communicate through writing)
- able to read x unable to read (dyslexia or alexia- reading disorder)
- able to think x unable to think
- able to feel touch(sensation) x unable to feel touch (anaesthesia)
- able to feel **pain**(algia) x unable to feel **pain**(analgesia)
- normal controlled **body** movements x abnormal uncontrolled **body** movements (athetosis,tremors,tics,chorea,hemiballismus,akathisia)
- voluntary **muscle** movements (self controlled) x involuntary **muscle** movements (uncontrolled) — dyskinesias,akinesia
- hypokinesia (reduced amplitude of movement) x hyperkinesia (intrude with the normal flow of motor activity -REPETITIVE MOVEMENTS includes dyskinesia)
- bradykinesia (slow movements and rigidity) X
- able to walk in normal gait X unable to walk in normal gait
- able to stand in a normal posture x unable to stand in a normal posture
- able to recognize x inability to recognize (agnosia,astereognosia,visual agnosia)
- Inability to **sit** is akathisia (urge to move) x **sit** calmly...
- hypotonia(of muscles - amount of tension or resistance to stretch) x hypertonia (of muscles)
- hypotonia also called floppy baby syndrome that is resistance to passive movement... resisting while moved by other **person**.

- less stretch x more stretch
- conscious x unconscious
- love X hate

THE NORMAL SEQUENCE OF VOLUNTARY CONTROL IS

- CONTROL CENTRE »» MOVES »»» MUSCLE »»» CONTRACTS »» MOVES »»» BONE OR JOINT MOVEMENTS
- CONTROL CENTRE(DESTROYED) »» DOES NOT MOVES »» MUSCLES »» DOES NOT CONTRACT »» DOES NOT MOVE »» BONE(WALK)
- CONTROL CENTRE »» TONIC MOVEMENT »» MUSCLE »» TONIC CONTRACTION »»»» BONE (TONIC MOVEMENT)
- CONTROL CENTRE »»
- WEAK [[LOW TONE(DEAD WEIGHT,FLOPPY,MUSHY) »»»»NORMAL MUSCLE TONE »» LIGHT,STRONG(HIGH MUSCLE TONE) STRONG
- CONTINUOUS X ALTERNATE
- CONTINUOUS PASSIVE PARTIAL CONTRACTION == MUSCLE TONE OR TONUS
- CONTINUOUS PASSIVE PARTIAL CONTRACTION X ALTERNATE ACTIVE FULL CONTRACTION
- FLACCIDITY X SPASTICITY OR RIGIDITY
- FLACCID(WEAK)HYPOTONIA X SPASM(SPASTIC IS RIGID LIKE STONE OR STRONG) HYPERTONIA
- CONTRALATERAL X IPSILATERAL
- STRAIGHT X CURVED OR CROSS
- PARALLEL X PERPENDICULAR
- Good dreams x bad dreams
- Flight of ideas x thought blocking
- Defence x fight
- Laugh x cry
- Action x mutism
- Sleep x awake
- Arousal or alert x disturbed or disoriented
- Orientation x disorientation
- Nerve fibre tumour x nerve degeneration
- Astrocytoma
- Schwannoma
- Neurofibroma
- Brain tumour x brain infarct or degeneration of nerves

SENSE ORGANS

- Vision X blind
- Incorrect vision X correct vision
- incorrect vision (refractive error) X correct vision (treated eye or refractive error corrected with treatment)
- hypermetropia (image far behind the eye) x myopia (image formed in front of eye)
- focus shifted backwards or went back X focus shifted forwards or came forwards
- In future form to move front x in future form to move back
- in future form to move front we use converging focus rays X In future form to move back we use

diverging focus rays

- concave x convex
- no light x light
- EAR, NOSE AND THROAT
- hearing loss or dumb x hearing
- INCORRECT HEARING X CORRECT HEARING
- presbyopia (old age vision loss)
- presbycusis (old age hearing loss)

DRUGS

ANTICOAGULANTS - ends in parin, rin THROMBOLYTICS - ends in ase, kinase -ase = thrombolytic - kinase = thrombolytics -parin = anticoagulant

- HEMOSTASIS (PLATELETS AGGREGATION »» FIRST CLOT »»> FIBRIN »» CLOT(THROMBUS) »»> HEME+STASIS)
- ANTI-ANAEMIC X ANAEMIA (Decrease in the number of cars due to deficiency of folic acid, vitamin B12 or iron)
- ANTI-HEMORRHAGIC X HEMORRHAGE
- (ANTI-COAGULANTS X COAGULATION (formation of mesh/fibrin network without the proper signal or no one to inhibit/interfere with their work) ANTI-PLATELET X PLATELET (ANTI-FIBRINOLYTIC X FIBRINOLYTIC (breaking the formed fibrin mesh by machines)
- ANTI-THROMBOTIC X THROMBOSIS
- (ANTI-THROMBOLYTIC X THROMBOLYTIC (breaking the formed clot or dissolving them using certain machines and chemicals)

medical management antonym

- Reconstruction x breaking or destroy
- Conception x contraception
- Natural x artificial
- Endotracheal tube x trachea
- Nasogastric tube x oesophagus
- Aspiration x administration or injection
- artificial Transplantation x natural transplantation
- Separation of blood components x mixing of blood components
- Low blood volume(disturbance) x correct
- Crushing x dilatation
- Seeing inside x seeing from outside
- Seeing inside (ENDOSCOPY) X Seeing from out(x ray..mri..ct scan)
- Incorrect x correct
- Incorrect = low or high
- Correction = decreasing to normal or increasing to normal
- Going towards normal x going away from normal
- Natural ventilation x artificial ventilation
- Positive pressure ventilation x negative pressure ventilation
- Continuous positive pressure x continuous negative pressure
- Natural pace maker x artificial pacemaker

- Natural organ x artificial organ
- Natural environment x artificial environment
- Bone marrow aspiration x bone marrow transplantation
- Natural lens x contact artificial lens
- Natural cornea x artificial cornea
- Natural environment of **human cell** x artificial environment of **cell**
- **Cell** inside **human body** x **cell** outside **human body** called as **cell** culture
- Natural bone x artificial bone

git diseases

- Gastro intestinal antonym
- gastric emptying X delayed gastric emptying (gastroparesis)
- good cholesterol(hdl) X bad cholesterol (vldl)
- absorption X malabsorption
- Malabsorption syndrome ...
- Digestion x indigestion
- Increased gastric acid secretion x decreased gastric secretion
- Hypochlorhydria x hyperchlorhydria
- incontinence X constipation
- egestion X constipation
- diarrhea X constipation
- increased peristalsis X decreased motility
- Catabolism(break) x anabolism (combine or build)
- Paralytic ileus x
- Gastroparesis x dumping syndrome
- Polydipsia x no thirst
- Hunger x satiety
- Abdominal distension with gas x flatulence
- Organ failure x organ function
- **Liver** failure x **liver** function
- Vomiting complications bilious or non bilious vomiting
- At the level of pylorus obstruction
- At the level of **ileum**

heart disorders

- DISTRUBANCES
- increased blood volume(hypervolemia) X hypovolemia(decreased blood volume)
- increased blood flow X decreased blood flow
- hyperaemia X ischemia
- congestion(stagnation) X infarction(deprivation or isolaation)
- increased venous return x decreased venous return
- increased blood flow to lungs x decreased blood flow to lungs
- increased blood flow to **heart** muscles x decreased blood flow to **heart** muscles
- increased blood flow to right atrium x decreased blood flow to right atrium
- portal hypertension x portal hypotension
- hypertension x hypotension

- hemorrhage or shock x excess blood transfusion
- cardiac arrest x [heart](#) beat
- DISORDERS
- congestive [heart](#) failure X myocardial infarction
- aortic aneurysm X aortic stenosis
- berry aneurysm([brain](#)) X cerebral infarction
- Increased cardiac output x decreased cardiac output
- increased contractility x decreased contractility
- increased preload x decreased preload
- increased afterload x decreased afterload
- increased pulmonary capillary pressure x decreased pulmonary capillary pressure
- increased mean arterial pressure x decreased mean arterial pressure
- Increased peripheral resistance x decreased peripheral resistance
- increased AV node conduction x decreased AV node conduction
- increased sinus rhythm x decreased sinus rhythm
- increased circulation x decreased circulation
- increased peripheral resistance x decreased peripheral resistance
- hypoplasia of [heart](#) x hyperplasia
- brown atrophy of [heart](#) x hypertrophy of [heart](#)
- [death](#) of [heart](#) muscles x [heart](#) muscles birth or development
- peace x war
- invasion x evasion
- silent blood flow x blood flow with murmurs
- silent closing of gates/valves x closing of gates with [sound](#)
- silent opening of gates x opening of gates with [sound](#)
- left bundle branch block x right bundle branch block
- block or obstruction x rhythm or flow
- sinus rhythm x sinus block (block at SA node)
- atrio ventricular rhythm x
- Tachycardia x bradycardia
- Sinus rhythm x arrhythmia
- Tachyarrhythmia x bradyarrhythmia
- Electrocardiogram antonym
- ST [Elevation](#) x [st depression](#)
- T wave elevated x t wave depressed
- R - R Interval increased x r - r interval decreased
- Irregular rhythm x regular rhythm
- P wave tall x
- pr segment
- qrs complex x

From:

<https://mail.mantrakshar.co.in/> - Kshtrgyn

Permanent link:

<https://mail.mantrakshar.co.in/doku.php/en/medical-antonyms?rev=1672236344>

Last update: **2022/12/28 14:05**

